

**SIRIM QAS INTERNATIONAL SDN. BHD.**

(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri, Seksyen 2, Peti Surat 7035, 40700 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel : 603-5544 6000 Emel : cserviceqas@sirim.my www.sirim-qas.com.my

File No : P5-009147
Licence No : PC001888

Date : 10/05/2024

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.
NO 12F-1 & 2, 12TH FLOOR , TOWER 5 @ PFCC,
JALAN PUTERI 1/2,
BANDAR PUTERI,
47100 PUCHONG
SELANGOR DARUL EHSAN, MALAYSIA

Attn : NORAZLINA BINTI AB. MANAF

Tel No : 603-58822888

Fax No : 603-58824003

Dear Sir/Madam,

Product Certification Licence

Product : ELECTRIC SPLIT AIR CONDITIONERS
Standard : IEC 60335-1 : 2010 IEC 60335-2-40 : 2013

With regards to your request for new/renewal/changes of licence(s) under the SIRIM Product Certification Licence scheme, enclosed please find the copy of the licence(s) and the certification report(s) for your safe keeping.

For enquiry, please contact

Officer Name : MARZUKI BIN MUSTAFA
Contact No : 018-4030528
Email : marzuki@sirim.my

Thank you.

This is a computer generated document. No signature is required.

LESEN PENSIJILAN BARANGAN

Product Certification Licence



SIRIM QAS International Sdn. Bhd. dengan ini menganugerahkan kepada
SIRIM QAS International Sdn. Bhd. hereby grants to

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.
NO 12F-1 & 2, 12TH FLOOR , TOWER 5 @ PFCC,
JALAN PUTERI 1/2,
BANDAR PUTERI,
47100 PUCHONG
SELANGOR DARUL EHSAN, MALAYSIA

Lesen untuk menggunakan Tanda Pensijilan di atas barangan
a licence to use the Certification Mark on

ELECTRIC SPLIT AIR CONDITIONERS

Please refer to detail in the SCHEDULE

sebagai mematuhi keperluan
as complying with

IEC 60335-1 : 2010
IEC 60335-2-40 : 2013



Nur Fadhilah binti Muhammad
Ketua Pegawai Eksekutif
Chief Executive Officer
SIRIM QAS International Sdn. Bhd.



SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-10VTH21
Rating : 220-240V~, 50Hz, 1300W, 6.5A
Cooling capacity: 2784W, CSPF = 4.62 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-10VTK21
Rating : 220-240V~, 50Hz, 1300W, 6.5A
Cooling capacity: 2784W, CSPF = 4.62 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-13VTH21
Rating : 220-240V~, 50Hz, 1280W, 7.6A
Cooling capacity: 3663W, CSPF = 4.70 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-13VTK21
Rating : 220-240V~, 50Hz, 1280W, 7.6A
Cooling capacity: 3663W, CSPF = 4.70 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-19VTH21
Rating : 220-240V~, 50Hz, 2030W, 9.8A
Cooling capacity: 5304W, CSPF = 4.71 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-19VTK21
Rating : 220-240V~, 50Hz, 2030W, 9.8A
Cooling capacity: 5304W, CSPF = 4.71 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-25VTH21
Rating : 220-240V~, 50Hz, 2900W, 12.8A
Cooling capacity: 7350W, CSPF = 5.71 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : Haier
Model : HSU-10LPA21
Rating : 220-240V~, 50Hz, 1010W, 4.45A
Cooling capacity: 2812W, CSPF = 3.41 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : Haier
Model : HSU-10LPB21
Rating : 220-240V~, 50Hz, 1010W, 4.45A
Cooling capacity: 2812W, CSPF = 3.41 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : Haier
Model : HSU-19LPA21
Rating : 220-240V~, 50Hz, 1950W, 9A
Cooling capacity: 5275, CSPF = 3.24 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : Haier
Model : HSU-19LPB21
Rating : 220-240V~, 50Hz, 1950W, 9A
Cooling capacity: 5275, CSPF = 3.24 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : Haier
Model : HSU-10VXA21
Rating : 220-240V~, 50Hz, 1100W, 5.1A Cooling capacity: 2850W,
CSPF = 6.11 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : Haier
Model : HSU-13VXA21
Rating : 220-240V~, 50Hz, 1350W, 6.2A Cooling capacity: 3750W,
CSPF = 5.61 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-25LPA21
Rating : 220-240V~, 50Hz, 2250W, 11.8A
Cooling capacity: 7320W
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-13LPA21-1
Rating : 220-240V~, 50Hz, 1370W, 6.2A
Cooling capacity: 3516W, CSPF = 3.38 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS ISO 5151 : 2012, ISO 16358-1 : 2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-13LPB21-1
Rating : 220-240V~, 50Hz, 1370W, 6.2A
Cooling capacity: 3516W, CSPF = 3.38 Wh/Wh, Star rating: 3
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-10VQA22
Rating : 220-240V~, 50Hz, 1170W, 7.4A Cooling capacity: 2784W,
CSPF = 4.83 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-10VQB22
Rating : 220-240V~, 50Hz, 1170W, 7.4A Cooling capacity: 2784W,
CSPF = 4.83 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-10VQC22
Rating : 220-240V~, 50Hz, 1170W, 7.4A Cooling capacity: 2784W,
CSPF = 4.83 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-13VQA22
Rating : 220-240V~, 50Hz, 1450W, 8.2A Cooling capacity: 3663W,
CSPF = 4.95 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-13VQB22
Rating : 220-240V~, 50Hz, 1450W, 8.2A Cooling capacity: 3663W,
CSPF = 4.95 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-13VQC22
Rating : 220-240V~, 50Hz, 1450W, 8.2A Cooling capacity: 3663W,
CSPF = 4.95 Wh/Wh, Star rating: 4
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-19VQA22
Rating : 220-240V~, 50Hz, 1970W, 9.2A Cooling capacity: 5420W,
CSPF = 5.17 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-19VQB22
Rating : 220-240V~, 50Hz, 1970W, 9.2A Cooling capacity: 5420W,
CSPF = 5.17 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-19VQC22
Rating : 220-240V~, 50Hz, 1970W, 9.2A Cooling capacity: 5420W,
CSPF = 5.17 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-25VQA22
Rating : 220-240V~, 50Hz, 2450W, 11.2A Cooling capacity: 6740W,
CSPF = 5.25 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-25VQB22
Rating : 220-240V~, 50Hz, 2450W, 11.2A Cooling capacity: 6740W,
CSPF = 5.25 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-25VQC22
Rating : 220-240V~, 50Hz, 2450W, 11.2A Cooling capacity: 6740W,
CSPF = 5.25 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40 : 2018, IEC60335-1 : 2010+A1 : 2013+A2 : 2016, MS
ISO 5151 : 2012, ISO 16358-1 : 2013

Trade Mark : HAIER
Model : HSU-10VXA22
Rating : 220-240V~, 50Hz, 1450W, 5.1A
Cooling capacity: 2850W, CSPF = 6.11 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010 (ED.5)+A1:2013+A2:2016, MS
ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-13VXA22
Rating : 220-240V~, 50Hz, 1350W, 6.2A
Cooling capacity: 3750W, CSPF = 5.61 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010 (ED.5)+A1:2013+A2:2016, MS
ISO 5151:2012, ISO 16358-1:2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-10VRA22
Rating : 220-240V~, 50Hz, 1120W, 7.2A Cooling capacity: 2820W,
CSPF = 5.34 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-13VRA22
Rating : 220-240V~, 50Hz, 1350W, 8.0A Cooling capacity: 3750W,
CSPF = 5.31 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-19VRA22
Rating : 220-240V~, 50Hz, 1970W, 9.2A Cooling capacity: 5420W,
CSPF = 5.17 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-25VRA22
Rating : 220-240V~, 50Hz, 2450W, 11.2A,
Cooling capacity: 6740W, CSPF = 5.25 Wh/Wh, Star rating: 5
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-10LPA23
Rating : 220-240V~, 50Hz, 1010W, 4.35A,
Cooling capacity: 2810W, CSPF = 3.36 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-10LPB23
Rating : 220-240V~, 50Hz, 1010W, 4.35A,
Cooling capacity: 2810W, CSPF = 3.36 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-10LPC23
Rating : 220-240V~, 50Hz, 1010W, 4.35A,
Cooling capacity: 2810W, CSPF = 3.36 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-19VQA23
Rating : 220-240V~, 50Hz, 1900W, 9.0A,
Cooling capacity: 5350W, CSPF = 4.64 Wh/Wh, Star rating: 4.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-19VQB23
Rating : 220-240V~, 50Hz, 1900W, 9.0A,
Cooling capacity: 5350W, CSPF = 4.64 Wh/Wh, Star rating: 4.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-19VQC23
Rating : 220-240V~, 50Hz, 1900W, 9.0A,
Cooling capacity: 5350W, CSPF = 4.64 Wh/Wh, Star rating: 4.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

SIRIM QAS International Sdn. Bhd.
(No. Syarikat 199601037981(410334-X))

1, Persiaran Dato' Menteri
Seksyen 2, Peti Surat 7035
40700 Shah Alam
Selangor Darul Ehsan
MALAYSIA.

Tel : 603-5544 6000
Emel : cserviceqas@sirim.my

<https://www.sirim-qas.com.my>
<https://www.malaysiancertified.com.my>

Tarikh Mula Pensijilan : 14 August 2015

Certified Since

Sah Sehingga : 14 August 2024

Valid Until

Tarikh Dikeluarkan : 10 May 2024

Issue Date

No Siri : 097675

Serial No

Lesen ini dianugerahkan tertakluk kepada syarat-syarat Perjanjian Pensijilan Barangan SIRIM QAS International Sdn. Bhd.
This Licence is granted subject to the provisions of the Product Certification Agreement of SIRIM QAS International Sdn. Bhd.

SCHEDULE

HAIER ELECTRICAL APPLIANCES (MALAYSIA) SDN. BHD.



Trade Mark : HAIER
Model : HSU-19LPA23
Rating : 220-240V~, 50Hz, 2300W, 10.5A,
Cooling capacity: 5450W, CSPF = 3.11 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-19LPB23
Rating : 220-240V~, 50Hz, 2300W, 10.5A,
Cooling capacity: 5450W, CSPF = 3.11 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-25LPA23
Rating : 220-240V~, 50Hz, 2640W, 12.6A,
Cooling capacity: 6800W, CSPF = 3.16 Wh/Wh, Star rating: 3.
Type : Wall mounted, R32
Tested to standard: IEC 60335-2-40:2018, IEC60335-1:2010+A1:2013+A2:2016, MS ISO 5151:2012, ISO 16358-1:2013

Trade Mark : HAIER
Model : HSU-10VQD23
Rating : 220-240V~, 50Hz, 1170W, 7.4A Cooling capacity: 2784W, CSPF = 4.83 Wh/Wh,
Star rating: 4
Type : Wall mounted, R32
Tested to standard : IEC 60335-2-40:2018 In Conjunction With IEC 60335-1:2010, IEC 60335-1:2010/AMD1:2013, IEC 60335 1:2010/AMD2:2016

Factory Name and Location :
QINGDAO HAIER (JIAOZHOU) AIR CONDITIONER CO. LTD.
HAIER INDUSTRIAL PARK
NO.1, HAIER ROAD, JIAOZHOU DISTRICT
266300 JIAOZHOU
QING DAO, CHINA

End of page