











TROUBLE WITH YOUR ROAD? Try the GlasGrid app to fix it!



SAINT-GOBAIN ADFORS CZ s.r.o.

Sokolovská 106 570 21 Litomyšl Czech Republic

Tel: +420 461 651 111 Fax: +420 461 651 231

www.adfors.com

Fast installation. Long-term results. GlasGrid® PG

Protection against reflective cracking

GlasGrid PG is a fast and safe complete patch repair system for reinforcement of joint superstructures, single cracks and small asphalt areas. GlasGrid PG consists of a high stiness fiberglass grid coated with a patented polymer coating. This product is specifically developed for the manual repair of small areas and can be installed directly on the milled surface without additional preparation.

The GlasGrid PG patch reinforcement retards reflective cracking 2 to 3 times by turning crack stresses horizontally to dissipate stress. The system can also be used for the covering of pipeline trenchs or for lane widening.

3 easy steps for installation

- 1 Ensure surface is clean, dry and dust-free.
- 2 Lay GlasGrid PG over area of repair.
- 3 Cover with a minimum of 4 cm hot asphalt.

Features and Benefits of GlasGrid PG

- Self-adhesive bitumen layer
- No heating necessary
- Fast and easy manual installation
- Long-term crack retarding
- · Increases pavement life
- Lowers maintenance costs
- Excellent milling performance and recyclability
- Available in 100 kN/m

Learn more about how GlasGrid® Pavement Reinforcement System products can increase the life of your paving projects.

www.glasgrid.com/eu glasgrid.eu@saint-gobain.com



