

# UNIQUE FIRE INDUSTRY

## PRODUCT CATALOGUE



### ADDRESS

No. 9, Jalan Anggerik Mokara 31/55,  
Kota Kemuning, Seksyen 31, 40460,  
Shah Alam, Selangor, Malaysia

### CONTACT

T: +603 5131 1226

E: [contactus@uniquefire.com](mailto:contactus@uniquefire.com)

W: [www.uniquefire.com](http://www.uniquefire.com)



WhatsApp

SCAN ME



# UNIQUE FIRE HOLDINGS MILESTONE

1997 - 2013

## UNIQUE FIRE INDUSTRY

Assembled our own brand of fire hoses (2000).  
Changed our name from UBE to Unique Fire Industry Sdn Bhd ("UFI") and registered the trademarks for Commander and Yama brands fire hoses (2003)



2016

## UL APPROVAL

UFI obtained our first international approval, UL certification for our Unique227 brand of HFC fire suppression system

2018

## SGP CERT

UFI obtained SGP for our HFC fire suppression systems - Unique227 brand from TNB.  
UDI commenced business of distributing custom graphics designed fire extinguishers.

2021

## FM APPROVAL

UFI received first FM approvals certification for our Unique227 and Unique5112 brand of fire suppression system.



NOW

## ACE MARKET

As of 2022, we are proudly listed on the ACE Market of Bursa Malaysia.

# FIRE HOSE REEL

---

A Fire Hose Reel is designed to carry and manage a heavy, high-pressure fire hose, keeping it ready and in good condition as a conduit for water in case a fire occurs. The circular reel drum also makes it easy to reel out the fire hose for use in a fire, and to reel it in for storage.

SCAN ME






# UNIQUE Fire Hose Reel

Fire Hose Reel



**SIRIM**  
Certified To:  
MS1447 : PART 1 : 2006  
Certification No : PC001032



TECHNICAL DATA	
Part No.	HRU-DR-25 (Drum) HRU-HO-25 (Hose) HRU-NOZ-NY-25 (Nylon Nozzle) HRU-NOZ-AB-25 (ABS Brass Nozzle) HRU-NOZ-BR-25 (Chrome Nozzle) HRU-CL-25 (Clip)
Drum Size	560 mm(22")
Type	Swing Manual
Finishing	Epoxy Powder Red
Hose Diameter	25 mm
Hose Length	30 m
Working Pressure	12 bar (174psi)
Test Pressure	20 bar (290psi)
Nozzle Type	Jet / Spray / Shut-Off
Nozzle Size	25 mm

All specifications and information indicated in this catalogue are subjected to change without prior notice.

**UNIQUE FIRE INDUSTRY SDN BHD Co. No. 418731-U**

**Address:**

**No. 9, Jalan Anggerik Mokara 31/55, Kota Kemuning, Seksyen 31, 40460, Shah Alam, Selangor, Malaysia**

**Contact :**

**Tel : +603 5131 1226**

**E-mail : [contactus@uniquefire.com](mailto:contactus@uniquefire.com)**

**Website: [www.uniquefire.com](http://www.uniquefire.com)**

SCAN ME





# UNIQUE Fire Hose Reel

Fire Hose Reel Drum



TECHNICAL DATA	
Part No.	HRU-DR-25
Diameter	560 mm(22")
Type	Swing Manual
Material	Cold Roll Steel
Finishing	Epoxy Powder Red

Fire Hose Reel Hose



TECHNICAL DATA	
Part No.	HRU-HO-25
Size	25 mm
Length	30 m
Working Pressure	12 bar (174psi)
Test Pressure	18 bar (261psi)
Material	PVC Semi Rigid
Finishing	Black
Standard	Comply to EN 694

Fire Hose Reel Nozzle



Nylon

Chrome  
Brass

ABS  
Brass

TECHNICAL DATA			
Part No.	HRU-NOZ-NY-25	HRU-NOZ-BR-25	HRU-NOZ-AB-25
Material	Nylon	Chrome Brass	ABS Brass
Type	Jet / Spray / Shut-Off		
Finishing	Red	Chrome	Plated
Spray Range	10m (approx.)		
Flow Rate @ 2.0 bar	33 L/min	26.6 L/min	35.7 L/min
Throw Range	13.5 m	10.8 m	11.2 m

All specifications and information indicated in this catalogue are subjected to change without prior notice.

UNIQUE FIRE INDUSTRY SDN BHD Co. No. 418731-U

Address:

No. 9, Jalan Anggerik Mokara 31/55, Kota Kemuning, Seksyen 31, 40460, Shah Alam, Selangor, Malaysia

Contact :

Tel : +603 5131 1226

E-mail : [contactus@uniquefire.com](mailto:contactus@uniquefire.com)

Website: [www.uniquefire.com](http://www.uniquefire.com)

SCAN ME



# UNIQUE Fire Hose Reel

Fire Hose Reel Nozzle Box



TECHNICAL DATA		
Part No.	CAB-NB	CAB-NB-NY
Size	Chrome Brass & ABS Brass	Nylon
Size	120mm (W) x 120mm (H) x 60mm (D)	
Type	Wall Mounted	
Material	Aluminium	
Thickness	2.5 mm	
Finishing	Epoxy Powder Red	

Fire Hose Reel Cabinet ( Wall Mounted)



TECHNICAL DATA	
Part No.	CAB-HR
Size	750mm (W) x 340mm (D) x 750mm (H)
Type	Wall Mounted
Material	Mild Steel / Stainless Steel
Thickness	0.9 mm
Finishing	Epoxy Powder Red

Air Release Valve



TECHNICAL DATA	
Part No.	WRU-ARV
Size	25mm (1")
Material	Copper Alloy
Finishing	Natural
Working Pressure	15 bar (max)
Test Pressure	20 bar

Fire Hose Clip



TECHNICAL DATA	
Part No.	HRU-CL-25
Size	25mm - 35mm
Material	Mild Steel
Finishing	Galvanised

All specifications and information indicated in this catalogue are subjected to change without prior notice.

UNIQUE FIRE INDUSTRY SDN BHD Co. No. 418731-U

Address:

No. 9, Jalan Anggerik Mokara 31/55, Kota Kemuning, Seksyen 31, 40460, Shah Alam, Selangor, Malaysia

Contact :

Tel : +603 5131 1226

E-mail : [contactus@uniquefire.com](mailto:contactus@uniquefire.com)

Website: [www.uniquefire.com](http://www.uniquefire.com)

SCAN ME

